Created on: 16.04.2019

Page: 1 of 8

v.3 09/2018

SAFETY DATA SHEET

according to regulation (EC) 1907/2006 according to regulation (EU) 453/2010

1161 Benzoin Siam resinoid 55% (in organic alcohol) organic



1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

1.1 Product identifier

Trade Name: Benzoin Siam resinoid 55% (in organic alcohol) organic

Botanical Name: Styrax tonkinensis

INCI: Styrax tonkinensis Resin Extract

CAS TSCA-No: 9000-72-0
CAS EINECS-No: 84012-39-5
EINECS-No.: 232-556-7
FEMA-No.: 2133

1.2 Relevant identified uses of the substance and uses advised against

Substance use: Perfumery and/or aromatic uses

1.3 Details of the supplier of the safety data sheet

Supplier name: AYUS GmbH

Address: Am Dreschschopf 1, 77815 Bühl, Deutschland

Phone: +49 7227 600 99-0
Fax: +49 7227 600 99-99
E-mail: info@oshadhi.eu

1.4 Emergency telephone number

Poison emergency number: +49 89-19240

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance according to regulation (EG) 1272/2008 (CLP)

Hazard class and Hazard category	Code	Hazard statement
Flammable liquids, category 3	H226	Flammable liquid and vapour.
Acute Toxicity, category 4 - oral	H302	Harmful if swallowed.
Aspiration hazard, category 1	H304	May be fatal if swallowed and enters airways.
Skin corrosion/irritation, category 2	H315	Causes skin irritation.
Respiratory/skin sensitisation, skin sensitisation category 1	H317	May cause an allergic skin reaction.
Causes serious eye damage/irritation, category 2	H319	Causes serious eye irritation.
Hazardous to the aquatic environment, chronic category 3	H412	Harmful to aquatic life with long lasting effects.

2.2 Label elements

Hazard pictogram and signal word







DANGER:

H-Statements:

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

P-Statements:

Prevention:

P102 Keep out of reach of children.

P210 Keep away from heat /sparks /open flames/hot surfaces. – No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical /ventilating /lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust /fume /gas /mist /vapours /spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.
P280 Wear protective gloves /eye protection.

Response:

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor /physician.
P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor /physician if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353 IF ON SKIN (or hair): Remove /Take off immediately all contaminated clothing. Rinse skin

with water /shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P331 Do NOT induce vomiting.

P332+P313 If skin irritation occurs: Get medical advice /attention.

P333+P313 If skin irritation or rash occurs: Get medical advice /attention.

P337+P313 If eye irritation persists: Get medical advice /attention.

P352 Wash with plenty of soap and water.

P362 Take off contaminated clothing and wash before reuse.

P363 Wash contaminated clothing before reuse.
P370+P378 In case of fire: Use CO2 for extinction.

Storage:

P233 Keep container tightly closed.
P234 Keep only in original container.

P374 Fight fire with normal precautions from a reasonable distance.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents /container to special waste.

2.3 Other Hazards

Allergens (according to regulation (EC) No 1223/2009 on cosmetic products)

Eugenol	< 0,2 %
Isoeugenol	< 1 %
Benzyl Benzoate	< 3 %

(-) = no data available

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Identification: Styrax tonkinensis oil (100% natural essential oil)

Hazardous constituent: according to EG-Regulation 1272/2008 (CLP)

Ingredient	Concentration	Registration-N.	CLP-Classification
		CAS-No: 65-85-0	Skin Irrit. 2, H315
Benzoic acid	< 43 %	EINECS-No: 200-618-2	Eye Dam. 1, H318
			STOT RE 1, H372
Benzyl benzoate	< 3 %	CAS-No: 120-51-4	Acute Tox. 4, H302
	< 3 %	EINECS-No: 204-402-9	Aquatic Chronic 2, H411
Ethyl alcohol	< 46 %	CAS-No: 64-17-5	Flam. Liq. 2, H225
	< 40 %	EINECS-No: 200-578-6	Eye Irrit. 2, H319
Isoeugenol	< 1 %	CAS-No: 97-54-1	Acute Tox. 4, H302
		EINECS-No: 202-590-7	Skin Irrit. 2, H315
			Skin Sens. 1, H317
			Eye Irrit. 2, H319
			STOT SE 3, H335
Vanillin	< 2 %	CAS-No: 121-33-5	Eye Irrit. 2, H319
	~ 2 /0	EINECS-No: 204-465-2	

4. FIRST AID MEASURES

4.1 Description of first aid measures

Excessive inhalation: Remove to fresh air environment – summon a physician immediately.

Skin contact: Wash contaminated skin with copious amounts of water and soap. Remove contaminated

clothes and wash them before reuse. Summon a physician, if an irritation appears.

Eye contact: Wash contaminated skin with copious amounts of water for at least 10 minutes – open

eyelids forcibly. Summon a physician immediately.

Ingestion: Dilute with water. Do not induce vomiting. Contact physician.

4.2 Most important symptoms and effects, both acute and delayed

No further details.

4.3 Indication of any immediate medical attention and special treatment needed

Contact a poison specialist immediately if large quantities have been ingested or inhaled.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Advised extinguisher: Use CO2, dry powder, fire extinguisher or foam.

Unadvisable extinguisher: Direct jet of water.

5.2 Special hazards arising from the substance or mixture

Avoid breathing vapours and smokes produced by fire.

Burning will cause strong smoke and soot.

Vapors may form explosive mixtures with air.

Containers may explode with the heat of fire.

^{(+) =} not detected

5.3 Advice for firefighters

Do not attempt to fight the fire with water, which tends to feed rather than smother the flames. Essential oils have the ability to float on water and this causes the fire to propagate more quickly.

Small fires can be smothered by covering with earth, sand or a blanket.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid skin, eye and clothes contact. There is a risk of sliding caused by the leaked product. Ventilate well spilling area. Keep away from sources of ignition.

6.2 Environmental precautions

Avoid dispose into drainage, sewer system or in any natural environment. Dispose binding material, cloths and sponges according to the national law.

6.3 Methods and material for containment and cleaning up

Use of absorbent material (e.g. sand, diatomaceous earth).

6.4 Reference to other sections

Please see section 8 and 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Ventilate the storage and preparation warehouse/laboratory. Avoid eating, drinking and smoking in the places where products are stored and treated. Manipulate with caution to avoid any projection particularly in eyes and on mucous membranes. Do not expose vapors to the flame or quite other source of ignition. Do not inhale warm vapors.

7.2 Conditions for safe storage, including any incompatibilities

It is recommended to keep the product in a water-tight and air-tight container. Keep away from heat and sunlight. Store in a cool and good ventilated area.

7.3 Specific end uses

No specific.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Please pay attention to the usual precautionary measures with the contact of essential oils. Use good hygiene practice: Please wash before contact, before eating and at the end of the working day.

8.2 Exposure controls

Personal protective equipment:

Breathing protection: Use in well aired areas.

Eye protection: Safety glasses. **Hand protection:** Protecting gloves.

Skin protection: Avoid skin contact. Protective suit should be worn.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Color: amber to red-brown

Appearance: oily liquid

Odor: balsamic, sweet pH-value: no data available

Flash point: 25°C
Water solubility: Insoluble
Steam pressure: Unavailable
Initial boiling point and boiling range: Unavailable
Relative density at 20 °C: 0,985 - 1,03
Refractive index at 20°C: 1,46 - 1,48
Optical rotation at 20°C: +1° to +38°

9.2 Other information:

Main components: Alcohol denat., Styrax tonkinensis Resin Extract, Benzyl Benzoate, Eugenol, Isoeugenol

10. STABILITY AND REACTIVITY

10.1 Reactivity

This product is stable under normal usage conditions.

10.2. Chemical stability

This product is stable under normal usage conditions.

10.3 Possibility of hazardous reactions

None according to our knowledge.

10.4 Conditions to avoid

Do not expose to high temperature or ignition.

10.5 Incompatible materials

Avoid flammable materials, PVC.

10.6 Hazardous decompositions products

Nothing in proper storage conditions.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxicological specifications of the important substances:

Chemical description	Oral LD50	Dermal LD50	Inhalation LC50
Benzoic acid	1.700 mg/kg (rat)	> 10.000 mg/kg (rabbit)	1
Benzyl benzoate	1.900 mg/kg (rat)	4.000 mg/kg (rabbit)	1
Ethyl alcohol	10.470 mg/kg (rat)	15.800 mg/kg (rabbit)	4 h-30.000 mg/l (rat)
Isoeugenol	1.560 mg/kg (rat)	1	1
Vanillin	3.300 mg/kg (rat)	> 5.010 mg/kg (rabbit)	1

Skin corrosion/irritation:

H315 Causes skin irritation.

Serious eye damage/irritation:

H319 Causes serious eye irritation.

Respiratory or skin sensitization:

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

Aspiration hazard:

H304 May be fatal if swallowed and enters airways.

Germ cell mutagenicity:

No significant effects or critical hazards.

Carcinogenicity:

No significant effects or critical hazards.

Reproductive toxicity:

No significant effects or critical hazards.

STOT-single exposure

Unavailable data.

STOT-repeated exposure

Unavailable data.

Information on likely routes of exposure

Unavailable data.

Symptoms related to the physical, chemical and toxicological characteristics

Unavailable data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Unavailable data.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Use product only referred of good laboratory practice (GLP) to insure that it is not released into the environment. According to regulation 1272/2008:

H412 Harmful to aquatic life with long lasting effects.

Daphnies toxicity (EC50):

No further relevant information available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

No further relevant information available.

Partition coefficient n-octanol / water (log KO/W)

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

No further relevant information available.

12.6 Other adverse effects

No further relevant information available.

13. DISPOSAL CONSIDERATION

13.1 Waste treatment methods

Waste should be recycled or disposed of according to the legislation in force, preferably by an approved recycling or waste treatment company.

14. TRANSPORT INFORMATION

14.1 UN-number

1169

14.2 UN proper shipping name

Land transport:

ADR/RID; Dispatch Name: EXTRAKTE, AROMATISCH, FLÜSSIG

Transport by sea:

IMDG/IMO; Technical Name: EXTRACTS, AROMATIC, LIQUID

ICAO/IATA; Technical Name: EXTRACTS, AROMATIC, LIQUID

14.3 Transport hazard class

ADR/RID: Class 3
IMDG/IMO: Class 3
ICAO/IATA: Class 3

14.4 Packing group

ADR/RID: Packing group III, Kemler code: 30

IMDG/IMO: Packing group III
ICAO/IATA: Packing group III

14.5 Environmental hazards

IMDG - Sea pollutant: No

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and IBC Code

Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations (legislation) specific for the substance or mixture

Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances and its subsequent amendments.

Directive 1999/45/EC of the European Parliament concerning the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous preparations and its subsequent amendments. Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work preparations.

Directive 2003/15/EC

Directive 2006/8/EC

Directive 91/322/EEC

Directive 2000/39/EC

Regulation (EC) No 1907/2006 (REACH) and its subsequent amendments

Regulation (EC) No 1272/2008 (CLP)

Regulation (EC) No 790/2009

Directive 2003/105/EC - Protection of workers - Control of major-accident hazards involving dangerous substances and its subsequent amendments

German Regulation on Substances Hazardous to Water 2005 (VwVwS),

15.2 Chemical safety assessment

Not relevant.

16. OTHER INFORMATION

Latest changes

This data sheet replaces all previous editions. The content of the SDS is regulated by the Regulation (EC) n°1907/2006 (REACH).

Common shortened form:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service (division of the American Chemical Society)

CLP: Classification, Labeling, Packaging

EINECS: European Inventory of Existing Commercial Chemical Substances

FEMA: Federal Emergency Management Agency

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

IATA: Dangerous Goods Regulation by the "International Air Transport Association" (IATA) ICAO: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

IMDG: International Maritime Code for Dangerous Goods

IMO: International Maritime Organization

INCI: International Nomenclature of Cosmetic Ingredients
LC50: Lethal Concentration for 50 percent of the test population

LD50: Lethal Dose for 50 percent of the test population

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

PBT: Persistent Bioaccumulating Toxicants

vPvB: Very Persistent and Very Bioaccumulative Substance

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

STOT: Specific Target Organ Toxicity TSCA: Toxic Substances Control Act

Hazard statements according to regulation (EC) 1272/2008 (CLP):

Code Description

Precaution statements according to regulation (EC) 1272/2008 (CLP):

Code Description

Prevention:

Response:

Storage:

Disposal:

Training advice:

Possible hazards: see section 2
First aid measures: see section 4
Firefighting measures: see section 5
Personal protection equipment: see section 8
Waste treatment methods: see section 13

The information this contains is based on the state of our knowledge about the product concerned at the time of update. They are given in good faith. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other Materials or in any process, unless specified in the text. Even though precaution has been taken to ensure accuracy of data, no quarantee can be given. Because data's are taken partly from other sources.

To be observed: This data sheet contains product data as it was available to Ayus GmbH at the date of release. Ayus GmbH cannot take any responsibility for the correctness of the data – this lies entirely with the producer or manufacturer. The responsibility for proper utilization of the product, as well as its handling and storage lies with the buyer or user. They have been educated about the consequences of misuse of the product.

This document was created electronically and is valid without signature.